

IZTISNJENE PALICE T66

Dolžina palic: 6 m

Certifikat: EN 10204/3.1



EXTRUDED T66

Length: 6 m

Certificate: EN 10204/3.1


DEBELINA V MM - THICKNESS IN MM

ŠIRINA V MM			DEBELINA V MM - THICKNESS IN MM									
Width in mm			1,5	2	3	4	5	6	7	8	10	12
10	x	10		0,097								
12	x	12		0,120								
15	x	15	0,115	0,151	0,219							
20	x	20	0,159	0,205	0,300	0,389						
25	x	25	0,196	0,259	0,381	0,500	0,608					
30	x	30		0,313	0,462	0,600	0,743					
35	x	35		0,367	0,540	0,710	0,880					
40	x	40		0,421	0,620	0,820	1,010					
45	x	45		0,475	0,705	0,929	1,150					
50	x	50		0,530	0,790	1,040	1,280	1,520		2,024	2,430	
60	x	60		0,640	0,950	1,250	1,550	1,850		2,420		
70	x	70					1,823	2,171	2,514			
80	x	80		0,853	1,270	1,685	2,090	2,495		3,280	4,050	
100	x	100		2,120			2,633	3,140		4,150	5,130	6,091
120	x	120								6,210	7,387	

IZTISNJENE PALICE T66

Dolžina palic: 6 m

Certifikat: EN 10204/3.1



EXTRUDED T66

Length: 6 m

Certificate: EN 10204/3.1

DEBELINA V MM - THICKNESS IN MM

ŠIRINA V MM Width in mm	1,5	2	2,5	3	4	5	6	8	10
15 x 10		0,124							
20 x 10	0,115	0,151							
x 15		0,178		0,259					
25 x 10		0,18							
x 15		0,205		0,3					
x 20		0,232							
30 x 10		0,209							
x 15		0,232		0,34					
x 20		0,259		0,381	0,497				
x 25				0,421					
35 x 20		0,286							
x 25				0,462					
40 x 10		0,259							
x 15		0,286							
x 20		0,313		0,462	0,6				
x 25		0,34		0,502					
x 30		0,367		0,54	0,71				
45 x 30				0,583					
50 x 15		0,34							
x 20		0,367		0,54					
x 25		0,394		0,58		0,945			
x 30		0,421		0,62	0,82	1,013			
x 40		0,457		0,705	0,93				
60 x 15		0,394		0,624					
x 20		0,421							
x 25			0,557						
x 30		0,475		0,705	0,93	1,148			
x 40		0,53		0,79	1,04	1,282			

